

PRODUCT CATALOG 2024

STERLING CUSTOM SHEET METAL

27112 FM 2978 MAGNOLIA, TX 77354

281-356-2388 www.SterlingCustomSheetMetal.com


STERLING BEST SEALED® REGISTER BOXES

Sterling BEST SEALED Register Box Features

- Building code approved for Type V Construction per IAPMO UES ER-0448
- Pre-Insulated and Sealed no need to wrap with fiberglass or apply mastic to box seams
- Boxes come configured with either R-6 or R-8 insulation
- Insulation is fiber-free
- Made of Zinc coated 30 gauge galvanized steel
- Patented box design has pre-punched nail holes on inner flange for easier installation
- Robust construction that prevents damage in shipment or during installation process




TYPICAL INSULATED REGISTER BOXES




STERLING BEST SEALED

IMPROVED INSULATED REGISTER BOXES



R6 REGISTER BOX TOP TAP





BOXES ARE AVAILABLE WITH 30 GAUGE RIVETED DAMPERS.

| LENGTH (L) | WIDTH (W) | COLLAR DIAMETERS AVAILABLE | | | | | | | |
|------------|-----------|----------------------------|------|------|------|------|------|-------|--|
| LENGTH (L) | WIDIH (W) | 4 IN | 5 IN | 6 IN | 7 IN | 8 IN | 9 IN | 10 IN | |
| 8 IN | 4 IN | X | X | | | | | | |
| 10 IN | 6 IN | X | X | X | | | | | |
| 10 IN | 8 IN | X | X | X | X | X | X | | |
| 10 IN | 10 IN | X | X | X | X | X | X | | |
| 12 IN | 6 IN | X | X | X | X | | | | |
| 12 IN | 8 IN | X | X | X | X | X | X | | |
| 12 IN | 12 IN | X | X | X | X | X | X | X | |
| 14 IN | 8 IN | X | X | X | X | X | X | | |

CUSTOM SIZES AVAILABLE UPON REQUEST.

R8 REGISTER BOX TOP TAP



R8 REGISTER BOXES ARE MADE
OF 30 GAUGE GALVANZED STEEL.
THEY ARE INSULATED WITH A
RIGID POLYURETHANE FOAM
INSULATION THAT FLOWS
INTO THE SEAMS CREATING AN
AIRTIGHT SEAL.

BOXES ARE AVAILABLE WITH 30 GAUGE RIVETED DAMPERS.

| LENGTH (L) WIDTH (W) | | COLLAR DIAMETERS AVAILABLE | | | | | | | |
|----------------------|-----------|----------------------------|------|------|------|------|------|-------|--|
| LENGTH (L) | WIDIH (W) | 4 IN | 5 IN | 6 IN | 7 IN | 8 IN | 9 IN | 10 IN | |
| 8 IN | 4 IN | X | X | X | | | | | |
| 10 IN | 6 IN | X | X | X | | | | | |
| 10 IN | 8 IN | X | X | X | X | X | X | | |
| 10 IN | 10 IN | X | X | X | X | X | X | | |
| 12 IN | 6 IN | X | X | X | X | X | | | |
| 12 IN | 8 IN | X | X | X | X | X | | | |
| 12 IN | 12 IN | X | X | X | X | X | X | X | |
| 14 IN | 6 IN | X | X | X | X | X | | | |

CUSTOM SIZES AVAILABLE ON REQUEST.

REGISTER BOX WITH GASKET



OUR STANDARD BEST SEALED R6 OR R8 REGISTER BOX WITH A 1/2 INCH FOAM GASKET AND A PLASTIC BARRIER.

UNDERFLOOR R6 AND R8 REGISTER BOX



UNDERFLOOR BOXES ARE MADE OF 30 GAUGE GALVANIZED STEEL. THEY ARE INSULATED WITH A RIGID POLYURETHANE FOAM INSULATION THAT FLOWS INTO THE SEAMS CREATING AN AIRTIGHT SEAL.

OUR UNDERFLOOR BOXES ARE SHIPPED WITH A COLLAR CUSTOM MADE TO WORK WITH OUR FOAMED BOXES. THE COLLAR INCLUDES INSTRUCTIONS FOR PROPER INSTALLATION.

| LENGTH (L) | WIDTH (W) | COLLAR DIAMETERS AVAILABLE | | | | | |
|------------|-----------|----------------------------|------|------|------|------|------|
| | | 4 IN | 5 IN | 6 IN | 7 IN | 8 IN | 9 IN |
| 8 IN | 4 IN | X | X | | | | |
| 10 IN | 6 IN | X | X | X | | | |
| 10 IN | 8 IN | X | X | X | X | X | |
| 12 IN | 12 IN | X | X | X | X | X | X |
| 14 IN | 8 IN | X | X | X | X | X | X |

SHORT SIDE WIDE SIDE UF BOXES



UNDERFLOOR BOXES ARE MADE OF 30 GAUGE GALVANIZED STEEL. THEY ARE INSULATED WITH A RIGID POLYURETHANE FOAM INSULATION THAT FLOWS INTO THE SEAMS CREATING AN AIRTIGHT SEAL.

BOXES ARE AVAILABLE WITH 30 GAUGE RIVETED DAMPERS.

| LENGTH (L) WIDTH (W) | | COLLAR DIAMETERS AVAILABLE | | | | | | |
|----------------------|-------|----------------------------|------|------|------|------|------|--|
| | | 4 IN | 5 IN | 6 IN | 7 IN | 8 IN | 9 IN | |
| 8 IN | 4 IN | X | X | | | | | |
| 10 IN | 6 IN | X | X | X | | | | |
| 10 IN | 8 IN | X | X | X | X | X | | |
| 12 IN | 12 IN | X | X | X | X | X | X | |
| 14 IN | 8 IN | X | X | X | X | X | X | |

PLENUMS



OUR 26 GAUGE PLENUMS ARE AVAILABLE IN A VARIETY OF SIZES AND STYLES INCLUDING RETURN AIR, FLANGED, KNUCKLE LOCK, TRIANGLE AND TRANSITION.

| POPULAR SIZES AVAILABLE IN 18", 24", 36" AND 48" |
|---|
| 12 X 24 |
| 16 X 20 |
| 16 X 25 |
| 19 X 23 |
| 20 X 20 |
| 20 X 25 |
| 20 X 30 |

CUSTOM SIZES AVAILABLE UPON REQUEST.

WYES



OUR WYES ARE SEALED, 30 GAUGE STEEL CONSTRUCTION, SPOT WELDED AND SEALED WITH UL 181 MASTIC.

| POPULAR SIZES | QTY PER BOX |
|---------------|-------------|
| 5X4X4 | 30 |
| 6X4X4 | 30 |
| 6X5X4 | 20 |
| 6X5X4 | 15 |
| 7X6X4 | 20 |
| 8X6X4 | 18 |
| 8X6X6 | 12 |
| 9X8X4 | 15 |
| 10X8X6 | 8 |
| 10X8X8 | 6 |
| 10X9X6 | 8 |
| 12X9X8 | 4 |
| 12X10X8 | 4 |

CUSTOM SIZES AVAILABLE UPON REQUEST.

STERLING CUSTOM SHEET METAL EST. 1983

DRAIN PANS



OUR DRAIN PANS ARE MADE OF 24 GAUGE STEEL WITH WELDED CORNERS AND GALVANIZED NIPPLE. THE CORNERS ARE COATED WITH A RUST PROOF PAINT.

| POPULAR SIZES |
|---------------|
| 16 X 44 |
| 18 X 44 |
| 22 X 44 |
| 28 X 38 |
| 30 X 40 |
| 30 X 60 |
| 30 X 70 |
| 32 X 32 |
| 32 X 36 |
| 32 X 38 |
| 32 X 40 |

| POPULAR SIZES |
|---------------|
| 32 X 60 |
| 32 X 62 |
| 32 X 64 |
| 32 X 72 |
| 32 X 76 |
| 32 X 80 |
| 32 X 84 |
| 32 X 99 |
| 36 X 72 |
| 36 X 76 |
| 44 X 80 |

CUSTOM SIZES AVAILABLE ON REQUEST.

HEATER STANDS




NORMAL

HEATER STANDS ARE CONSTRUCTED OF 22 GAUGE STEEL. AVAILABLE WITH BASES OR ENCLOSED.



TALL



VERTICAL



HORIZONTAL

| NORMAL SIZES |
|--------------|
| 12 X 30 |
| 6 X 20 |
| 6 X 24 |
| 6 X 28 |
| 6 X 30 |
| 7 X 30 |
| 9.5 X 28 |

| SPECIALTY SIZES |
|-----------------|
| HORIZONTAL |
| 20 X 30 |
| TALL |
| 24 X 30 |
| VERTICAL |
| 8 X 24 |